

2025 TRACTOR ATTACHMENTS

The Small Holder



W

Winton

www.wintonmachinery.co.uk
sales@wintonmachinery.co.uk
01420 520510





Contents

3	ULM230	Heavy Duty 2.3m Flail Mower
4	W-FL	Heavy Duty Flail Mowers
5	W-HF	Hydraulic Side-Shift Flail Mowers
6	W-FB	Flail Mowers
7	W-FA	Compact Flail Mowers
8	W-VF	Verge Flail Mowers
9	W-TM	Topperr Mowers
10	W-FM	Finishing Mowers
11	W-AM	Flail Hedge Cutters
12	W-SB	Stone Buriers
13	W-PH	Power Harrows
14	W-RT	Rotorvators
15	W-WC	Wood Chipper
16	W-LSH	Hydraulic Log Splitter
17	W-LSP	PTO Log Splitter
18	W-HB	Post Hole Borers
19	W-TL15	1.5 Tonne Tipping Trailer
20	W-TL30	3 Tonne Tipping Trailer
21	W-BT	Water Bowser Trailer
22	W-TB	Tipping Transport Box
23	W-AR	Aerator
24	W-FS	Fertiliser Spreader
25	W-FR	Field Roller
26	W-LR	Land Scape Rakes
27	W-LL	Land Leveller
28	W-RB	Box Graders
29	W-GBH	Box Grader Blades
30	W-PF	Pallet Forks
31	W-WB	Weight Boxes



Heavy Duty 2.3M Flail Mower

The New – Winton ULM



Model No	P-ULM230
Cutting width	230cm
HP range	48+
Weight	780kg
RRP (exc VAT)	£5,500
RRP (inc VAT)	£6,600.000



W-FL Heavy Duty Flail Mower



Robust heavy-duty gearbox

Adjustable positioning for skids

Spirally arranged hammer blades

Belt-driven blade rotor

Heavy hammer blades

Adjustable cutting-height range of 3-8cm

W-FL



Model No	W-FL125	W-FL145	W-FL175
Cutting width	125cm	145cm	175cm
HP range	20-40	25-50	30-55
Weight	238kg	252kg	338kg
RRP (exc VAT)	£1,640	£1,749	£1,915
RRP (inc VAT)	£1,968.00	£2,098.80	£2,298.00

W-HF Hydraulic Side-Shift Flail Mower



Robust heavy-duty gearbox

Adjustable positioning for skids

Spirally arranged blades

Hydraulic offset A-frame as standard

Heavy hammer blades

Adjustable cutting-height range of 3-8cm

W-HF



Model No	W-HF125	W-HF145	W-HF175	W-HF200	W-HF220
Offset from centre	690  560 390  880	775  645 455  975	960  760 675  1045	960  1000 675  1285	1045  1115 775  1385
Cutting width	125cm	145cm	175cm	200cm	220cm
HP range	20-40	25-50	30-55	35-60	40-70
Weight	310kg	322kg	350kg	451kg	466kg
RRP (exc VAT)	£1,938	£2,101	£2,272	£2,499	£2,703
RRP (inc VAT)	£2,325.60	£2,521.20	£2,726.40	£2,998.80	£3,243.60

W-FB Flail Mower



Multiple blades on rotor for mulching	Adjustable positioning for skids
Adjustable rear roller	Belt driven blade rotor
Hammer flail blades	Adjustable cutting-height range of 3-8cm

W-FB



Model No	W-FB105	W-FB125	W-FB145
Cutting width	105cm	125cm	145cm
HP range	16-25	18-35	25-40
Weight	182kg	202kg	222kg
RRP (exc VAT)	£1,173	£1,273	£1,382
RRP (inc VAT)	£1,407.60	£1,527.60	£1,658.40

W-FA Flail Mower



Budget-friendly flail mower option	Narrow design for vineyards & orchards
Spirally arranged blades for an efficient cut	Adjustable cutting-height range of 2.5-7cm
Y blades for lighter overall weight to suit sub-compact tractors	Adjustable positioning for skids & roller

W-FA



Model No	W-FA085	W-FA105
Cutting width	85cm	105cm
HP range	12-20	15-25
Weight	136kg	158kg
RRP (exc VAT)	£898	£944
RRP (inc VAT)	£1,077.60	£1,132.80

W-VF Verge Flail Mower



Right-hand offset	Flail head cuts outside the tractor wheelbase
Tilt 90° up & 40° down	Hydraulically adjustable head positioning
Hammer flail blades	Adjustable roller for cut height of 2-7cm

W-VF



Model No	W-VF125	W-VF145
Cutting width	125cm	145cm
HP range	20-40	25-45
Weight	264kg	336kg
RRP (exc VAT)	£2,407	£2,515
RRP (inc VAT)	£2,888.40	£3,018.00



W-TM Topper Mower



Height-adjustable skids for optimal control

Low maintenance and simple to operate

Shear-bolt PTO shaft for enhanced safety

Adjustable cutting-height range of 6-20cm

Multiple A-frame positions

Direct drive blades

W-TM



Model No	W-TM110	W-TM140	W-TM160	W-TM180K
Cutting width	110cm	140cm	160cm	180cm
HP range	16-25	23-40	25-50	30-60
Weight	175kg	205kg	220kg	385kg
RRP (exc VAT)	£849	£933	£1,018	£1,377
RRP (inc VAT)	£1,018.80	£1,119.60	£1,221.60	£1,652.40

W-FM Finishing Mower



Height-adjustable wheels for a 3.5-8cm cut

Easy access grease points

Floating linkage for contours & gradients

Rear-style discharge to disperse clippings

Link extensions avoid fouling tractor wheels

Drive-belt tensioning

W-FM



Model No	W-FM120	W-FM150	W-FM180K
Cutting width	120cm	150cm	180cm
HP range	16-30	20-45	25-55
Weight	178kg	187kg	202kg
RRP (exc VAT)	£1,109	£1,202	£1,323
RRP (inc VAT)	£1,330.80	£1,442.40	£1,587.60
Roller Kit Add On (exc VAT)	-	£625	£657
(inc VAT)		£750.00	£788.40

W-AM Flail Hedge Cutter



Simple operating levers

Adjustable positioning for roller


Reversible flail direction

PTO-driven requiring no tractor hydraulics

Rotor with Y flail blades

Designed for tractors with cabs or safety mesh

W-AM



Model No	W-AM080	W-AM100
Cutting width	80cm	100cm
HP range	25-45	35-50
Weight	275kg	300kg
RRP (exc VAT)	£5,156	£5,266
RRP (inc VAT)	£6,187.20	£6,319.20

	W-AM080	W-AM100
A - Lower linkage height	28cm	
B - Top link-outer wheel	70cm	
C - Downwards reach	200cm	220cm
D - Horizontal reach	275cm	290cm
E - Diagonal reach	310cm	340cm
F - Horizontal cut height	185cm	195cm
G - Vertical cut height	330cm	350cm

Measurements based on Solis 26 (2018 model) with industrial tyres.

W-SB Stone Burier



Rear mesh roller for quality finish

Maximum tilling depth of 12cm

Robust heavy-duty gearbox

Easily adjustable roller position

Even soil distribution

Optional seeder attachment available

W-SB



Model No	W-SB105	W-SB125	*W-SS105R	*W-SS125R
Working width	105cm	125cm	105cm	125cm
HP range	20-28	25-30	20-28	25-30
Weight	266kg	288kg	360kg	390kg
RRP (exc VAT)	£1,743	£1,834	£2,242	£2,353
RRP (inc VAT)	£2,091.60	£2,200.80	£2,690.40	£2,823.60
PTO Slip Clutch Upgrade (exc VAT)	£50			
(inc VAT)	£60.00			

W-PH Power Harrow



Blades designed for maximum aeration

Maximum tilling depth of 15cm

Separate blade carriers for better efficiency

Rear mesh roller for smooth finish

Shear bolt PTO shaft for enhanced safety

Crumble bar roller option available

W-PH



Model No	W-PH130	W-PH170
Working width	130cm	170cm
HP range	25-40	36-60
Weight	274kg	345kg
RRP (exc VAT)	£2,105	£2,239
RRP (inc VAT)	£2,526.00	£2,686.80
PTO Slip Clutch Upgrade (exc VAT)	£50	
(inc VAT)	£60.00	

W-RT Rotovator



Sprocket-driven for maximum power transfer

Maximum tilling depth of 15cm

Robust heavy-duty gearbox

Rear guard easily adjustable

Wide blades for longevity

Adjustable skids for versatile use

W-RT



Model No	W-RT125	W-RT150
Working width	125cm	150cm
HP range	25-40	30-55
Weight	285kg	320kg
RRP (exc VAT)	£1,844	£1,976
RRP (inc VAT)	£2,212.80	£2,371.20
PTO Slip Clutch Upgrade (exc VAT)	£50	
(inc VAT)	£60.00	

W-WC Wood Chipper



360° output chute for precision control

Shear bolt PTO shaft for enhanced safety

Reversible cutting blades for longevity

Low maintenance

Direct drive blades

5" maximum branch diameter

W-WC



Model No

W-WC

Max. chipping width

5 inches

HP range

14-48

Feed type

Manual

Weight

195kg

RRP (exc VAT)

£1,479

RRP (inc VAT)

£1,774.80



W-LS10H Hydraulic Log Splitter



Tractor-mounted for easy transport

Requires tractor hydraulics

Fits 3-point linkage of most compact tractors

Replaceable blade

W-LS10H



**MADE IN
BRITAIN**



Model No	W-LS10H
Splitting force	10tn
Power	Hydraulic
Weight	78kg
RRP (exc VAT)	£916
RRP (inc VAT)	£1,099.20

W-LS10P PTO Log Splitter



Tractor-mounted for easy transport

Powered by independent pump

Fits 3-point linkage of most compact tractors

Replaceable blade

W-LS10P



**MADE IN
BRITAIN**




Model No	W-LS10P
Splitting force	10tn
Power	PTO
Weight	126kg
RRP (exc VAT)	£1,710
RRP (inc VAT)	£2,052.00





W-HBF Post Hole Borers

Reinforced framework	Gravity levelling auger
Simple to fit and operate	Interchangeable auger bits
Replaceable blades and auger tips	Maximum depth 90cm



Model No (Frame & Auger)	W-HBF04	W-HBF06	W-HBF09	W-HBF12
Included auger width	4 inches	6 inches	9 inches	12 inches
HP range	20-50			
Weight	128kg	138kg	148kg	158kg
RRP (exc VAT)	£879	£889	£899	£910
RRP (inc VAT)	£1,054.80	£1,066.80	£1,078.80	£1,092.00
Auger (Only) No	W-HB-A04	W-HB-A06	W-HB-A09	W-HB-A12
Additional auger (exc VAT)	£145	£155	£165	£175
(inc VAT)	£174.00	£186.00	£198.00	£210.00



W-TL15 Tipping Trailer

Removeable side and rear panels	1.5 tonne maximum loading capacity
Turf tyres to reduce tread marks	Independent hand brake
Clevis hitch fitting	Adjustable jockey stand

W-TL15



Model No	W-TL15
Internal dim.	118 x 193 x 35cm
Tractor HP	14-40
Weight	330kg
RRP (exc VAT)	£1,898
RRP (inc VAT)	£2,277.60
Mesh sides (exc VAT)	£561
(inc VAT)	£673.20



W-TD30 Dropside Tipping Trailer



Removeable side and rear panels	3 tonne maximum loading capacity
Turf tyres to reduce tread marks	Optional light kit
Clevis hitch fitting	Adjustable jockey stand

W-TD30



**MADE IN
BRITAIN**



Model No	W-TD30
Internal dim.	140 x 290 x 45cm
Tractor HP	30+
Weight	605kg
RRP (exc VAT)	£3,506
RRP (inc VAT)	£4,207.20
Mesh sides (exc VAT)	£880
(inc VAT)	£1,056.00



W-BT Water Bowser Trailer



Tractor-mounted for easy transport	Powered by independent pump
Fits 3-point linkage of most compact tractors	Replaceable blade

W-BT & W-IBC



Model No	W-BT
Max. capacity	1,000L
HP range	14-40
Weight	154kg
RRP (exc VAT)	£695
RRP (inc VAT)	£834.00
W-IBC Tank (exc VAT)	£152
(inc VAT)	£182.40



W-TB Tipping Transport Box



Manual tipping lever for easy use	Welded side panels for increased strength
Suitable for small or compact tractors	Reinforced structure
Robust & durable	Removeable sides for scoop loading



W-TB

**MADE IN
BRITAIN**



Model No	W-TB120	W-TB150
Internal width	112cm	142cm
External width	120cm	150cm
Max. load	500kg	500kg
Weight	91kg	102kg
RRP (exc VAT)	£498	£547
RRP (inc VAT)	£597.60	£656.40



W-AR05 Aerator



Stainless steel dish and vanes	Easy feed-rate
Adjustable spreading	Deflector kit aids efficient salt-spreading
4 adjustable vanes for even distribution	Agitator kit aids even distribution

W-AR05



**MADE IN
BRITAIN**



Model No	W-AR5
Max. working depth	18cm
No. of blades	24
HP range	26-60
Weight	235kg
RRP (exc VAT)	£2,030
RRP (inc VAT)	£2,436.00
Roller Upgrade (exc VAT)	+ £699
(inc VAT)	£838.80



W-FS Fertiliser Spreader



Stainless steel dish and vanes

Easy feed-rate

Adjustable spreading

Deflector kit aids efficient salt-spreading

4 adjustable vanes for even distribution

Agitator kit aids even distribution

W-FS



+



+



+



Model No

W-FS250

W-FS500

Capacity

240L

385L

HP range

20+

Weight

56kg

63kg

RRP (exc VAT)

£509

£582

RRP (inc VAT)

£610.80

£698.40

Cover Add On (exc VAT)
(inc VAT)

£125
£150.00

Deflector Add On (exc VAT)
(inc VAT)

£200
£240.00

Agitator Add On (exc VAT)
(inc VAT)

£40
£48.00

+

+

+

W-FR Field Roller



Adaptable hitch for variety of vehicles

Ballast drum easily filled and drained

Robust construction

Easy to fit and operate

W-FR



**MADE IN
BRITAIN**



Model No	W-FR4	W-FR5	W-FR6
Working width	122cm	152cm	182cm
Overall width	136cm	166cm	196cm
Weight	170kg	210kg	245kg
Laden weight	410kg	515kg	610kg
RRP (exc VAT)	£922	£1,019	£1,112
RRP (inc VAT)	£1,106.40	£1,222.80	£1,334.00

W-LR Landscape Rakes



Very low maintenance

Reversible head stock for a smooth pass

Heavy duty rigid frame

One reversed blade for a smooth finish

Three forward-facing aggressive blades

Fully painted

W-LR



Model No	W-LR5	W-LR6
Working width	150cm	180cm
Adjustment angle	360°	
HP range	20-45	25-55
Weight	126kg	185kg
RRP (exc VAT)	£664	£810
RRP (inc VAT)	£796.80	£972.00



W-LL05 Land Leveller



Very low maintenance

Reversible head stock for a smooth pass

Heavy duty rigid frame

One reversed blade for a smooth finish

Three forward-facing aggressive blades

Fully painted

W-LL05



**MADE IN
BRITAIN**



Model No W-LL5

Working width 150cm

HP range 20-40

Weight 70kg

RRP (exc VAT) £611

RRP (inc VAT) £733.20



W-RB Box Grader



Robust heavy-duty tines

Height-adjustable tines for depth control

Simple to fit and operate

Reversible and replaceable blades

Reinforced A-frame

Promotes soil aeration and drainage

W-RB



Model No	W-RB4	W-RB5	W-RB6
Width	120cm	150cm	180cm
No. tines	4	5	6
HP range	16+	20+	25+
Weight	190kg	250kg	310kg
RRP (exc VAT)	£645	£718	£787
RRP (inc VAT)	£774.00	£861.60	£944.40



W-GBH Grader Blades



360° pivot	Reinforced design for strength and reliability
Toughened steel blade	Blade easily replaceable
Suits small and compact tractors	Simple to fit and operate

W-GBH



Model No	W-GB5H	W-GB6H
Width	150cm	180cm
HP range	25-40	30-55
Weight	90kg	105kg
RRP (exc VAT)	£451	£493
RRP (inc VAT)	£541.20	£591.60



W-PF Pallet Forks



Suitable for small or compact tractors	Weight adjusted by adding ballast to the box
Increases stability	Quick and easy to fit on 3-point linkage
Robust & durable	Reduces wear on tractor

W-PF



**MADE IN
BRITAIN**



Model No	W-PF500	W-PF750
Load capacity	500kg	750kg
HP range	14-35	25-70
Weight	35kg	57kg
RRP (exc VAT)	£336	£406
RRP (inc VAT)	£403.20	£487.20



W-WB Weight Boxes




Suitable for small or compact tractors	Weight adjusted by adding ballast to the box
Increases stability	Quick and easy to fit on 3-point linkage
Robust & durable	Reduces wear on tractor

W-WB



**MADE IN
BRITAIN**



Model No	W-WB225	W-WB450
Full weight	225kg	450kg
Dimensions	59x33x70cm	69x48x75cm
Lower linkage	41-62cm	
Weight	45kg	110kg
RRP (exc VAT)	£459	£512
RRP (inc VAT)	£550.80	£614.40



W-RP01 Ripper & Pipe Layer



Blades designed for maximum aeration

Maximum tilling depth of 15cm

Separate blade carriers for better efficiency

Rear mesh roller for smooth finish

Shear bolt PTO shaft for enhanced safety

Crumble bar roller option available

W-RP01



Model No	W-RP01
Blade length	30cm
HP range	15-35
Weight	45kg
RRP (exc VAT)	£323
RRP (inc VAT)	£387.60



2025 TRACTOR ATTACHMENTS

The Small Holder



W

Winton

www.wintonmachinery.co.uk
sales@wintonmachinery.co.uk
01420 520510

